

# MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

Product number 946-001

Product name Silicone Spray

Effective date 16-Mar-2012

Company information Sprayway, Inc. 1005 Westgate

Addison, IL 60101 United States

 Company phone
 1-630-543-7600

 Emergency telephone US
 1-866-836-8855

 Emergency telephone outside US
 1-952-852-4646

Version # 07

Supersedes date04-Jan-2012Product useLubricant

# 2. Hazards Identification

Emergency overview FLAMMABLE

CONTENTS UNDER PRESSURE. Aerosol. Contact with eyes may cause irritation.

Prolonged exposure may cause chronic effects.

Potential health effects

Routes of exposure Skin contact. Ingestion.

**Eyes** Contact with eyes may cause irritation.

Skin Prolonged or repeated contact can result in defatting and drying of the skin which may

result in skin irritation and dermatitis (rash).

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Prolonged inhalation may be harmful.

**Ingestion** Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage.

Components of the product may be absorbed into the body by ingestion.

Target organs Central nervous system. Lungs. Respiratory system.

**Chronic effects** May cause central nervous system disorder (e.g., narcosis involving a loss of

coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage. May cause delayed lung damage. Prolonged skin contact may defat the skin and

produce dermatitis.

Signs and symptoms Discomfort in the chest. Narcosis. Defatting of the skin. Irritation.

# 3. Composition / Information on Ingredients

Components	CAS#	Percent
n-Butane	106-97-8	50 - 60
Propane	74-98-6	20 - 30
Odorless Mineral Spirits	64742-48-9	10 - 15
Non-hazardous and other components below reportable levels	1 - 3	

### 4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops or persists.

**Skin contact** Remove and isolate contaminated clothing and shoes. Wash off with warm water and

soap. Get medical attention if irritation develops or persists. Wash clothing separately

before reuse.

**Inhalation** If symptoms develop move victim to fresh air. If symptoms persist, get medical attention.

Product name: Silicone Spray

MSDS US

estion

Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

### 5. Fire Fighting Measures

Flammable properties

Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.

Extinguishing media

Suitable extinguishing media

Foam. Dry chemical. Carbon dioxide (CO2). Do not use water jet.

**Protection of firefighters** 

Specific hazards arising from the chemical

Fire may produce irritating, corrosive and/or toxic gases.

Protective equipment and precautions for firefighters

In the event of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up.

### 6. Accidental Release Measures

**Methods for containment** 

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

# 7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. Do not smoke while using or until sprayed surface is thoroughly dry. Do not use if spray button is missing or defective. Wear personal protective equipment. Avoid prolonged exposure.

Storage

Level 3 Aerosol.

Contents under pressure. Do not puncture, incinerate or crush. Keep away from heat, sparks, and flame. Avoid exposure to long periods of sunlight. Store in cool place. Keep out of the reach of children. Level 3 Aerosol. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

# 8. Exposure Controls / Personal Protection

### **Exposure limits**

Propane

Components	CAS#	IWA	SIEL	Ceiling
n-Butane	106-97-8	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
OSHA				
Material	CAS#	TWA	STEL	Ceiling
Silicone Spray	Mixture	15 mg/m3	Not established	Not established
Components				

#### Personal protective equipment

**Skin protection** Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant

1000 ppm

clothing.

74-98-6

Respiratory protection

No personal respiratory protective equipment normally required. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

Not established

# 9. Physical & Chemical Properties

Appearance

Compressed liquefied gas.

Product name: Silicone Spray Product #: 946-Silicone Spray Not established

**Boiling point** 51.8 °F (11.1 °C) estimated

Color Colorless.

**Density** 0.5819 g/cm3 estimated **Flammability (HOC)** 42.0605 kJ/g estimated

Flash back Yes

Flash point -156 °F (-104.4 °C) Propellant

Form Aerosol.
Freezing point Not available
Odor Solvent.
pH Not applicable

Physical state Gas.

**Pressure** 60 - 70 psig @70F

SolubilityNegligibleSpecific gravity0.582

# 10. Chemical Stability & Reactivity Information

Chemical stability Risk of ignition.

Conditions to avoid Heat, flames and sparks.

Incompatible materials None known.

Hazardous decomposition products No hazardous decomposition products are known.

# 11. Toxicological Information

Acute effects Acute LD50: 18877 mg/kg estimated, Rat, Dermal

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

n-Butane 106-97-8 Inhalation LC50 Rat 658 mg/L 4 h

Odorless Mineral Spirits 64742-48-9 Oral LD50 Rat >5000 mg/kg; Dermal LD50 Rabbit >3160 mg/kg
Propane 74-98-6 Inhalation LC50 Rat 658 mg/L 4 h

Propane 74-98-6 Inhalation LC50 Rat 658 mg/L 4 h

Sensitization Not expected to be hazardous by OSHA criteria.

Teratogenicity Not expected to be hazardous by OSHA criteria.

### 12. Ecological Information

Ecotoxicity LC50 18333 mg/L, Fish, 96.00 Hours,

Components of this product have been identified as having potential environmental

concerns.

# 13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

**Disposal instructions**Contents under pressure. Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this

material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.

# 14. Transport Information

### **Department of Transportation (DOT) Requirements**

Basic shipping requirements:

Proper shipping name Aerosols **Hazard class** 2.1 **UN** number UN1950

Additional information:

**Special provisions** 153, N82 LTD QTY Packaging exceptions None Packaging non bulk Packaging bulk None **ERG** number 170



**Further information** Until 12/31/2013, the "Consumer Commodity - ORM-D" marking may still be used in

place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/13 and may be used now in place of the "Consumer Commodity ORM-D" marking but not

concurrently.

### **IMDG**

**Basic shipping requirements:** 

**AEROSOLS** Proper shipping name

**Hazard class** 2.1 1950 **UN** number

Additional information:

LTD QTY Packaging exceptions 5F Labels required None

2 **Transport Category** 



**Basic shipping requirements:** 

Aerosols, flammable Proper shipping name

**Hazard class** 2.1 1950 **UN** number

Additional information:

LTD QTY Packaging exceptions 2.1 Labels required





# 15. Regulatory Information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

**CERCLA (Superfund) reportable quantity** 

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely No

hazardous substance

Section 311 hazardous chemical Yes

Hazard categories (311/312) Immediate Hazard - Yes

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Product name: Silicone Spray MSDS US

### **Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

 n-Butane
 106-97-8
 Present

 Odorless Mineral Spirits
 64742-48-9
 Present

 Propane
 74-98-6
 Present

# 16. Other Information

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1

Flammability: 4 Physical hazard: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

MSDS sections updated Product and Company Identification: Product and Company Identification

Transport Information: Further information

Prepared by Regulatory Compliance

Product name: Silicone Spray

Product #: 946-Silicone Spray

5 / 5